

INDEX MAPS.

T. 8N, R. 12E. 2nd Mer.

	413-416	413-415	413-415	414-415	414-415	414						
418	6	436	5	436	4	434	3	433	2	432	1	413
	436		435		435		433		432		431	
418	7	435	8	434	9	433	10	432	11	431	12	412
	430		430-435		430-434		430-433		431-432		431	
417	18	430	17	428	16	427	15	426	14	425	13	412
	429		429		428		427		426		425	
417	19	429	20	428	21	427	22	426	23	425	24	412
	423		424-429		424-428		424-427		424-426		424	
416	30	423	29	422	28	421	27	420	26	419	25	412
	423		423		422		421		420		419	
416	31	422	32	421	33	420	34	420	35	419	36	411
	409-411		409-411		409-411		409-410		409-410		410	

T. 9N, R. 12E. 2nd Mer.

	444-446	444-446	444-446	444-445	444-445	445
448	6	465 5	464 4	463 3	462 2	461 1 443
	465	465	464	463	462	461
448	7	465 8	464 9	463 10	462 11	461 12 443
	460	460-465	460-464	460-462	460-461	460
448	18	459 17	458 16	457 15	456 14	455 13 443
	459	459	458	457	456	455
447	19	459 20	458 21	456 22	455 23	454 24 442
	453	453-458	454-457	454-456	454-455	454
447	30	453 29	452 28	451 27	450 26	449 25 442
	453	453	452	451	450	449
446	31	452 32	451 33	451 34	451 35	449 36 442
	439-441	439-441	439-441	439-440	439-440	440

The figures on the lines refer to the page.

Township N. 8 North, Range N. 12 East 2.^d Mer. Ind.
ch. lks.

South Boundary Random line

East On S. boundary of Sec. 31

3.00 Sanghary Creek 10 lks. wide runs S 75 W

7.50 Same Creek line runs up it 1500 links Crossing
it twice - Course up it N.E.

40.00 Set temp. q. Sec. post

75.80 a watercourse 12 lks. wide runs S.

80.00 Set temp. Cor. to Sec. 31 of 32

Land broken, timber, Beech, Oak, Hick. Ash &c.

East On S. boundary of Sec. 32

29.40 a watercourse 10 lks. wide runs S.

40.00 Set temp. q. Sec. post

66.85 a watercourse 12 lks. wide runs S.

80.00 Set temp. Cor. to Sec. 32 of 33

Land waving, timber Oak, Beech, Hick. Poplar &c.

East On S. boundary of Sec. 33.

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sec. 33 of 34

Land flat, timber Beech, Oak, Hickory, Gum &c.

East On S. boundary of Sec. 34

40.00 Set temp. q. Sec. post

43.30 a watercourse 5 lks. wide runs S.E.

53.00 a Spring run South

64.00 a watercourse 10 lks. wide runs S.

80.00 Set temp. Cor. to Sec. 34 of 35

Land waving timber Oak, Beech, Hickory, Ash &c.

East On S. boundary of Sec. 35

24.90 a watercourse 12 lks. wide runs S.

40.00 Set temp. q. Sec. post

40.30 a watercourse 8 lks. wide runs S.W.

80.00 Set temp. Cor. to Sec. 35 of 36

Land timber &c. Same as on the last mile

S. N. R. E. T. Mer. Indiana

ch. 1/2.

East On S. boundary of Sec. 36.

28.10 a watercourse 12 lks. wide runs S. E.

40.00 Set temp. q. Sec. post

61.63 Set W. 17 lks. South of Town Corner

Land waving timber Oak, Hickory, Beech
Poplar &c.

Corrected line.

West On S. boundary of Sec. 36

40.00 Set q. Sec. post, from which
a Beech 15 in. diam. bear N 89 E 16 lks. dist. of
a Do. 15 " " " S 40 W 25 " "80.00 Set post Cor. to Sec. 35 of 36, from which
a Maple 16 in. diam. bear N 45 E 15 lks. dist. of
a Gum 9 " " " S 48 W 11 " "
November 28th 1806

West On S. boundary of Sec. 35

27.50 a Poplar 36 in. diam.

40.00 Set q. Sec. post, from which
a Hickory 18 in. diam. bear S 11 W 12 lks. dist. of
a Sugar 11 " " " N 39 W 23 " "80.00 Set post Cor. to Sec. 34 of 35, from which
an Ash 14 in. diam. bear East 12 lks. dist. of
a Beech 13 " " " S 64 W 27 " "

West On S. boundary of Sec. 34

5.56 a Poplar 46 in. diam.

40.00 Set q. Sec. post, from which
a Hickory 18 in. diam. bear N 77 W 29 lks. dist. of
a W. Oak 24 " " " S 28 E 37 " "

73.89 a W. Oak 30 " " " "

80.00 Set post Cor. to Sec. 33 of 34, from which
a Beech 13 in. diam. bear N 8 E 22 lks. dist. of
a ——— 10 " " " S 4 W 12 " "

S. N. T. 12 E. 2^d Mer. Indiana

ch. lly.

Nest On S. boundary of Sec. 33.

40.00 Set of Sec. post, from which
 a Beech 18 in. diam. bran N 12 W 20 lks. dist. of
 a Do. 10 " " " S 32 E 8 " "

80.00 Set post Cor. to Sec. 32 of 33, from which
 a Beech 6 in. diam. bran N 20 W 7 lks. dist. of
 a Sugar 16 " " " S 36 E 23 " "

Nest On S. boundary of Sec. 32

21.48 a W. Oak 30 in. diam.

40.00 Set of Sec. post, from which
 a Beech 15 in. diam. bran N 73 E 12 lks. dist. of
 a Do. 10 " " " S 62 W 16 " "

80.00 Set post Cor. to Sec. 31 of 32, from which
 a W. Oak 30 in. diam. bran S 53 W 12 lks. dist. of
 a Gum 16 " " " N 9 W 16 " "

Nest On S. boundary of Sec. 31

40.00 Set of Sec. post from which

a Sycamore 40 in. diam. bran N 64 W 52 lks. dist. of
 a Do. 14 " " " S 84 E 43 " "

61.63 to Township Corner.

November 26th 1886.East Boundary var 5th E.

North On E. boundary of Sec. 36

4.50 a watercourse 6 lks. wide runs S. E.

40.00 Set of Sec. post, from which
 a Beech 14 in. diam. bran S 70 W 50 lks. dist. of
 a Do. 16 " " " S 69 E 15 " "

47.00 a watercourse 10 lks. wide runs N. E.

80.00 Set post Cor. to Sec. 25 of 36, from which
 a Beech 12 in. diam. bran South 12 lks. dist. of
 a Do. 8 " " " N 60 W 22 " "

This mile level 2^d rate, Beech, Oak, Gum,
 Poplar &c.

T8 N R12 E. 2^d Mer. Indiana

ch. lks.

North On E. boundary of Sec. 25

40.00 Set q. Sec. post, from which
 a Beech 14 in. diam. bran N74W15 lks. dist. of
 a Hickory 16 " " " S37E27 " "

50.00 a Watercourse 8 lks. wide runs E.

80.00 a Beech 12 in. diam. Stand for the Cor. to
 Sections 24 & 25, T8 N. R12 E.

Land level 3^d rate, Beech, Oak, Poplar &c.

North On E. boundary of Sec. 24

40.00 Set q. Sec. post, from which
 a Beech 10 in. diam. bran West 19 lks. dist. of
 a Hickory 15 " " " N60E20 " "

80.00 Set post Cor. to Sec. 13 & 24, from which
 a Beech 14 in. diam. bran N68W22 lks. dist. of
 a Do. 16 " " " S5E35 " "

Land timber &c. Same as on the last mile

North On E. boundary of Sec. 13

40.00 Set q. Sec. post. from which
 a Hickory 12 in. diam. bran East 19 lks. dist. of
 an Elm 12 " " " S20E33 " "

70.00 a watercourse 10 lks. wide runs E.

80.00 Set post Cor. to Sec. 12 & 13, from which
 a W. Oak 30 in. diam. bran N60E25 lks. dist. of
 a Gum 14 " " " S59W16 " "

Land timber &c. Same as on the last mile

North On E. boundary of Sec. 12

5.50 a watercourse 6 lks. wide runs S. E.

40.00 Set q. Sec. post, from which
 a Beech 22 in. diam. bran S38W12 lks. dist. of
 a Do. 8 " " " East 33 " "

80.00 Set post Cor. to Sec. 11 & 12, from which
 a Beech 10 in. diam. bran N48E6 lks. dist. of
 a Do. 8 " " " N10W16 " "

T9 N. R 12 E. 2^d Mer. Indiana
 ch. 2 lks.
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1
 40.00 Set q. sec. post, from which
 a Beech 20 in. diam. bear S 82° 11' 22" E 22 pky. dist. of
 a Gum 12 " " " " N 40° E 22 " "
 66.41 a Beech 18 " " in the line
 80.00 Set post Cor. to Township 8 of 9 North, of
 Range 12 of 13 East, from which
 a Gum 18 in. diam. bear S 69° 11' 13" E 13 lks. dist. of
 a Maple 10 " " " " N 45° W " "
 This mile level 3^d rate Cold soil Beech, Oak,
 Maple, good meadow land
 Oct. 1876.

North Boundary Random line
 Variation 7° E
 East On S. boundary of Sec. 31, T9 N. R 12 E.
 11.00 a Brook 12 lks. wide run S.
 11.00 a watercourse 4 lks. " " S. W
 40.00 Set temp. q. sec. post
 64.50 a watercourse 4 lks. wide run S.
 80.00 Set temp. Cor. to Sec. 31 of 32
 Sand broken, timber Beech, Oak, Poplar, Sugar
 Hickory, Ash, Gum &c.

East On S. boundary of Sec. 32, T9 N. R 12 E
 8.90 a watercourse 6 lks. wide run S. W
 40.00 Set temp. q. sec. post
 50.90 a watercourse 10 lks. wide run S. W
 80.00 Set temp. Cor. to Sec. 32 of 33
 Sand level, timber Beech, Oak, Hickory, Ash,
 Poplar, Sugar &c.

East On S. boundary of Sec. 33, T9 N. R 12 E.
 40.00 Set temp. q. sec. post

T⁹N. R12E. 2nd Mer. Indianach² lks.

65.60 at Brook 30 lks. wide (at a bend) up it S 80 E.

80.00 Set temp^y. Cor. to Sec^s. 33 & 34Land waving, timber Oak, Beech, Sugar
Hickory, Poplar, Gum &c.East On S. boundary of Sec. 34, T⁹N. R12E40.00 Set temp^y. q^r. Sec. post

46.00 a watercourse 8 lks. wide runs S. E.

67.00 a Brook 20 lks. " " S. W.

77.30 a watercourse 4 lks. " " N. W.

80.00 Set temp^y. Cor. to Sec^s. 34 & 35

Land timber &c. same as on the last mile

East On S. boundary of Sec. 35, T⁹N. R12E.

30.20 a watercourse 4 lks. wide runs N.

36.30 a do. 5 " " " N. W.

40.00 Set temp^y. q^r. Sec. post

71.70 a watercourse 6 lks. wide runs N.

80.00 Set temp^y. Cor. to Sec^s. 35 & 36

Land timber &c. same as on the last mile

East On S. boundary of Sec. 36, T⁹N. R12E.

39.00 a watercourse 5 lks. wide runs N. W.

40.00 Set temp^y. q^r. Sec. post

58.64 fell 300 lks. North of the Cor. to Township

8 & 9 North Range, 12 & 13 East

Land level, timber Oak, Beech, Hickory, Sugar
Ash &c. Aug. 16th 1877

Corrected line

West On S. boundary of Sec. 36, T⁹N. R12E.

22.25 at B. Oak 26 in. diam.

40.00 Set q^r. Sec. post, from which

a Beech 7 in. diam. bears N 83° W 10 lks. dist. of

at B. Oak 36 " " " S 82° E 16 " "

80.00 Set post Cor. to Sec^s. 35 & 36, from which

T8 N R 12 E. 2^d Mer. Indiana

Ch. Lks.

a Beech 13 in. diam. bearing N 56° W 23 lks. dist. of
a Do. 8 " " " S 66° E 13 " "

West On S. boundary of Sec. 35, T9 N. R 12 E.
34.50 a P. Oak 36 in. diam.

40.00 Set of. Sec. post, from which
a Beech 9 in. diam. bearing N 27° W 6 lks. dist. of
a Do. 13 " " " S 41° E 24 " "

72.50 a P. Walnut 22 in. diam.

80.00 Set post Cor. to Sec. 34 of 35 from which
a Beech 11 in. diam. bearing N 41° W 3 lks. dist. of
a Do. 13 " " " S 19° W 7 " "

West On S. boundary of Sec. 34, T9 N. R 12 E.
17.90 a Gum 11 in. diam.

40.00 Set of. Sec. post, from which
a Gum 12 in. diam. bearing N 37° W 19 lks. dist. of
a Beech 14 " " " S 8° E 33 " "

61.23 a W. Oak 26 " "

80.00 Set post Cor. to Sec. 33 of 34 from which
a Beech 16 in. diam. bearing S 52° W 9 lks. dist. of
a Do. 12 " " " N 61° E 26 " "

West On S. boundary of Sec. 33, T9 N. R 12 E.
21.70 a W. Oak 24 in. diam.

40.00 Set of. Sec. post, from which
a P. Gum 13 in. diam. bearing N 23° W 29 lks. dist. of
a Beech 9 " " " S 32° E 2 " "

23 18.90 a Beech 7 " "

79.50 a W. Oak 26 " "

80.00 Set post Cor. to Sec. 32 of 33, from which
a Beech 9 in. diam. bearing N 55° E 10 lks. dist. of
a Do. 7 " " " S 57° W 19 " "

West On S. boundary of Sec. 32, T9 N. R 12 E.
34.80 a W. Oak 30 in. diam.

T8N R12E 2^d Mer. Indianach^d lks.

- 40.00 Set of Sec. post, from which
a Poplar 18 in. diam. bear S 25° W 19 lks. dist. of
at Beech 5 " " " N 47° E 14 " "
- 57.73 at Beech 16 " "
- 80.00 Set post Cor. to Sec. 31 of 32, from which
a Beech 9 in. diam. bear N 64° W 7 lks. dist. of
a Gum 9 " " " S 58° E 44 " "

West On S. boundary of Sec. 31, T8N R12E.

- 40.00 Set of Sec. post. from which
at Beech 14 in. diam. bear N 43° W 15 lks. dist. of
a Do. 16 " " " S 62° E 39 " "
- 58.64 Township Corner.

January 18th 1807

West Boundary var. 5° 40' E.

North On E. boundary of Sec. 36, T8N R11E.

- 18.88 at Beech 20 in. diam.
- 26.50 Branch of Sanghary Cr. 50 lks. wide runs E.
- 29.60 Main Sanghary Cr. 100 lks. wide runs E. between
this and last (branch) an Island
- 32.00 a watercourse 6 lks. wide runs N. E.
- 40.00 Set of Sec. post, from which
a Beech 24 in. diam. bear S 30° W 11 lks. dist. of
a Do. 14 " " " N 42° E 7 " "
- 42.47 at Beech 28 " "
- 51.50 Same Creek runs S. W.
- 68.15 a Sugar 16 in. diam.
- 80.00 Set post Cor. to Sec. 25 of 36, from which
a Sugar 8 in. diam. bear N 70° W 3 lks. dist. of
at Beech 12 " " " S 69° E 22 " "
- Sand waving, timber Beech, Sugar, Oak, Ash,
Poplar, Elm, Sycamore &c.

North On E. boundary of Sec. 25, T8N R11E

- 3.25 Same Creek runs S. E.

417

S. N. P. E. 2nd Mer. Indiana

Ch. P. Lk.

- 8.00 a Spring run S. W.
 26.13 a Poplar 40 in. diam.
 35.00 a watercourse 6 lks. wide run W.
 40.00 Set of Sec. post, from which
 a Beech 7 in. diam. bear N 29 W 18 lks. dist. of
 a W. Oak 13 " " " S 62 E 18 " "
 49.25 a watercourse 5 lks. wide run W.
 58.50 a Do. 6 " " " N. W.
 69.65 an Ash 24 in. diam.
 70.00 a watercourse 4 lks. wide run W.
 76.00 a Do. 4 " " " W.
 80.00 Set post Cor. to Sec. 24 of 25, from which
 a Sugar 12 in. diam. bear S 23 E 3 lks. dist. of
 a Beech 22 " " " N 43 W 20 " "
 Land broken, timber Beech, Sugar, Oak, Poplar, Ash &c.

- North On E. boundary of Sec. 24 T 8 N. R 11 E.
 12.70 Langhory Creek 70 lks. wide to an Island
 21.00 the Other Branch 60 lks. " upper point of Island - run S. W.
 34.54 a Beech 16 in. diam.
 40.00 Set of Sec. post, from which
 a Beech 16 in. diam. bear N 68 E 15 lks. dist. of
 a Do. 15 " " " S 81 W 37 " "
 49.95 a Beech 20 " "
 70.50 Langhory Creek 150 lks. wide run E.
 80.00 Set post Cor. to Sec. 13 of 24, from which
 a Beech 12 in. diam. bear N 48 W 18 lks. dist. of
 a Cherry tree 13 " " " S 22 E 15 " "
 Land hilly, timber Beech, Sugar, Oak, Poplar Hick &c.

- North On E. boundary of Sec. 13, T 8 N. R 11 E.
 5.00 a watercourse 8 lks. wide run W.
 12.12 a Beech 16 in. diam.
 21.00 a watercourse 7 lks. wide run W.
 33.63 a W. Oak 50 in. diam.
 40.00 Set of Sec. post, from which

S 8 N. R 12 E. T^h Mer. Indianach^d. lks.

- a Beech 28 in. diam. beam S 5 E 9 lks. dist. of
 a Do. 17 " " " N 27 E 41 " "
 45.95 a W. Oak 30 " " "
 51.90 a watercourse 6 lks. wide runs W.
 62.20 a Do. 4 " " " W.
 67.00 a Do. 5 " " " W.
 80.00 Set post Cor. to Sec. 12 of 13, from which
 a Beech 14 in. diam. beam N 13 E 13 lks. dist. of
 a Do. 8 " " " N 10 E 33 " "
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 12, S 8 N. R 12 E

- 8.00 a watercourse 5 lks. wide runs N.W.
 18.25 a Brook 20 lks. wide runs W.
 20.60 a Sugar 17 in. diam.
 40.00 Set q^r. Sec. post, from which
 a W. Oak 40 in. diam. beam S 22 W 16 lks. dist. of
 a Passapag 5 " " " N 10 W 13 " "
 53.50 a watercourse 4 lks. wide runs S. E.
 74.30 a Beech 17 in. diam.
 80.00 Set post Cor. to Sec. 11 of 12, from which
 a Hickory 16 in. diam. beam N 6 W 25 lks. dist. of
 a Beech 9 " " " S 36 W 30 " "
 Land waving, timber Beech, Oak, Sugar, Poplar, Elm &c

North On E. boundary of Sec. 1, S 8 N. R 11 E.

- 39.50 a Watercourse 3 lks. wide runs W.
 40.00 Set q^r. Sec. post, from which
 a Beech 8 in. diam. beam N 47 W 22 lks. dist. of
 a Do. 16 " " " S 21 E 8 " "
 57.46 a W. Oak 42 " "
 65.00 a Brook 15 lks. wide runs W.
 80.00 Set post Cor. to Township 8 of 9 North, of Range
 11 of 12 East, from which
 a Beech 7 in. diam. beam N 59 W 7 lks. dist. of
 a Do. 8 " " " S 53 E 13 " "

S. N. R 12 E. 2nd Mer. Indiana

Ch^o. lks.

Land Hilly, timber Beech, Oak, Hickory, Poplar,
Ash sugar &c. Jan^y 14th 1807

John Brownson

Deputy Surveyor

Subdivision.

North Between Sec^s. 35 & 36, S. N. R 12 E.

40.00 Set gr. Sec. post, from which

a Beech 24 in. diam. - bear S 7 E 17 lks. dist. of

a Do. 6 " " " N 63 W 16 " "

80.00 Set post Cor. to Sec^s. 25, 26, 35 & 36. from which

a Beech 6 in. diam. - bear S 86 E 18 lks. dist. of

a Do. 7 " " " S 78 W 19 " "

This mile level 2nd rate land, timber Beech, Oak,
Poplar &c.

East On Random between Sec^s. 25 & 36

40.00 Set temp^y. gr. Sec. post

80.00 Intersected the E. boundary 7 lks. S. of the post

Land level, Beech, Oak & Hickory, interspersed
with Poplar. 2nd rate

West Corrected between Sec^s. 25 & 36

33.50 a watercourse 8 lks. wide runs S. W.

40.00 Set gr. Sec. post, from which

a Dogwood 3 in. diam. - bear S 20 W 5 lks. dist. of

a Beech 12 " " " N 36 E 25 " "

80.00 to Section Corner.

North Between Sec^s. 25 & 26

40.00 Set gr. Sec. post, from which

a ——— 10 in. diam. - bear S 80 E 20 lks. dist. of

a Beech 8 " " " N 45 W 8 " "

80.00 Set post Cor. to Sec^s. 23, 24, 25 & 26, from which

a Beech 14 in. diam. - bear N. E. 10 lks. dist. of

a Do. 12 " " " S 11 W 18 " "

S. N. R. P. E. 2.^d Mer. Indiana

ch. lks.

Land level, timber Beech & Oak

North Between Sec. 34 & 35

13.50 a watercourse 15 lks. wide runs S. E.

40.00 Set q. Sec. post, from which

a Beech 14 in. diam. bears S 31 E 75 lks. dist. of

a do. 8 " " " " 15 " "

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which

a Beech 12 in. diam. bears S 31 E 22 lks. dist. of

a do. 18 " " " North 16 " "

Land level 2.^d rate, timber Beech & W. OakEast On Land^m between Sec. 26 & 35

40.00 Set temp. q. Sec. post

80.00 Intersected the N of S line 64 lks. S. of the post

Level Beech & Oak land 2.^d rate

West Corrected between Sec. 26 & 35

40.00 Set q. Sec. post at average dist. from which

a Beech 36 in. diam. bears East 24 lks. dist. of

an Iron w. 5 " " " S 30 E 12 " "

45.50 a Creek 15 lks. wide runs S.

80.00 to Sec. Corner

North Between Sec. 26 & 27

40.00 Set q. Sec. post, from which

a Beech 16 in. diam. bears East 15 lks. dist. of

a do. 18 " " " S 31 W 23 " "

65.00 a watercourse 10 lks. wide runs S 20 W.

80.00 Set post Cor. to Sec. 22, 23, 26, 27, from which

a W. Ash 14 in. diam. bears S 4 E 11 lks. dist. of

a Beech 5 " " " N 66 E 6 " "

Level 3.^d rate land, timber Beech, Oak, Sugar &c.

North Between Sec. 33 & 34

40.00 Set q. Sec. post, from which

St R 12 E. 2nd Mer. Indiana

421

Ch^o. lks.

a Beech 3 in. diam. bran N 76° W 14 lks. dist.
no other bearing
61.11 a Beech 18 in. diam. in the line
80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
a Buckeye 9 in. diam. bran S 40° E 14 lks. dist. of
a Beech 10 " " " N 40° W 15 " "
Sand level, timber Beech & Poplar

East On Run^m between Sec. 27 & 34

40.00 Set temp^y. of Sec. post
80.00 Intersected the N & S. line 28 lks. S. of the post
Sand timber &c. Same as on the last mile

West Corrected between Sec. 27 & 34

5.50 a watercourse 10 lks. wide runs S.
8.00 a do. — " " " S
15.50 a Creek 10 lks. " " S.E.
40.00 Set of Sec. post at average dist. from which
a Beech 20 in. diam. bran S 67° E 10 lks. dist. of
a do. 7 " " " N 30° W 12 " "
80.00 to Section Corner

North Between Sec. 27 & 28

36.41 a Beech 18 in. diam. in the line
40.00 Set of Sec. post, from which
a Beech 15 in. diam. bran North 18 lks. dist. of
a do. 12 " " " S 30° E 20 " "
80.00 a Beech 22 in. diam. Stand for Cor. to Sec. 21, 22,
27, 28. Sand level, timber Beech, W. Oak, Gum &c.

North Between Sec. 32 & 33

40.00 Set of Sec. post from which
a W. Oak 24 in. diam. bran S 20° E 12 lks. dist. of
a Beech 12 " " " N 29° W 8 " "
80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
a Beech 3 in. diam. bran N 65° E 11 lks. dist. of

422

S. N. R. E. 2nd Mer. Indiana

Ch. 9. lks.

a Beech 5 in. diam. beam S 32^W 11 lks. dist. of
 this (mile level 2nd rate land, Beech, Oak & Poplar.

East On Rand^m between Sec. 28 & 3340.00 Set temp^y. q^r. Sec. post

80.00 Intersected the N & S. line 50 lks. S. of post
 this (mile broken 3rd rate, Beech, Oak, Poplar

West Corrected between Sec. 28 & 33

40.00 Set q^r. Sec. post, at average dist. from which
 a Gum 24 in. diam. beam West 4 lks. dist. of
 a Beech 15 " " " East 6 " "

69.40 a Beech 18 " " in the line

80.00 to Section Corner

North Between Sec. 28 & 29

40.00 Set q^r. Sec. post, from which
 a Beech 9 in. diam. beam S 33^E 22 lks. dist. of
 a 4 " " " N 30^W 25 " "

59.00 a watercourse 6 lks. widening N.W.

79.50 a do. 15 " " " N.W.

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
 a Beech 16 in. diam. beam S 50^W 1 lks. dist. of
 a Gum 12 " " " N 11^E " "
 Sand timber &c. same as on the last (mile

North Between Sec. 31 & 32

30.27 a Beech 18 in. diam. in the line

40.00 Set q^r. Sec. post, from which
 a Beech 4 in. diam. beam N 77^E 24 lks. dist. of
 a do. 18 " " " S 53^W 29 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 14 in. diam. beam S 66^W 8 lks. dist. of
 a Hickory 8 " " " N 66^E 38 " "
 Level 3rd rate Beech, Oak &c.

S. N. R. P. E. 2^d. Mer. IndianaCh^d. lks.East On Land^m between Sec^s. 29 & 3240.00 Set temp^y. q^r. Sec. post80.00 Intersected the N of S. line 6 lks. N. of the post
Land level 2^d. rate, timber Beech, Oak &cWest Corrected between Sec^s. 29 & 3240.00 Set q^r. Sec. post at average dist. from which
a Beech 7 in. diam. bear S 49 W 9 lks. dist. of
a W. Oak 30 " " " N 49 E 4 " "

80.00 to Sec. Corner

West Between Sec^s. 30 & 3140.00 a Dogwood sapling 8 in. diam. stands for the
quarter Section post

50.00 to the bank of Sanghory Creek 150 lks. wide runs S.

65.36 to the W. boundary whether the intersection is N. or
S. or at the post is not mentioned; but as there are
no bearings given, it is presumed he intersected at
the post. This mile broken 3^d. rate land, timber
Beech, Oak, Poplar & SugarNorth Between Sec^s. 29 & 3040.00 Set q^r. Sec. post, from which
a Beech 8 in. diam. bear S 10 E 9 lks. dist. of
a Do. 14 " " " N 50 W 26 " "80.00 Set post Cor. to Sec^s. 19, 20, 29 & 30, from which
a Beech 4 in. diam. bear South 2 lks. dist. of
a W. Oak 24 " " " North 9 " "
Land timber &c. Same as on the last mileWest Between Sec^s. 19 & 3040.00 Set q^r. Sec. post, from which
a Beech 6 in. diam. bear S 40 E 9 lks. dist. of
a Do. 10 " " " N 40 W 15 " "67.50 Intersected the W. boundary 100 lks. N. of post
Set post Cor. to Sec^s. 19 & 30 from which

T8 N 12 E. 2nd Mer. Indiana

ch. lks.

a Beech 18 in. diam. bear S 60° W 10 lks. dist. of
 a No. 6 " " " " N 60° E 9 " " "
 Land broken, timber Beech &c.

East On Rand^m. between Sec. 20 & 29

40.00 Set temp. g. Sec. post

80.00 Intersected the N & S. line 40 lks. S. of post
 Land hilly 3rd rate, Beech, Oak, Poplar &c.

East On Rand^m. between Sec. 21 & 28

40.00 Set temp. g. Sec. post

80.00 Intersected the N & S. line at the post
 Land timber &c. same as on the last mile

East On Rand^m. between Sec. 22 & 27

35.00 a watercourse 10 lks. wide runs S.

40.00 Set temp. g. Sec. post

78.00 a watercourse 10 lks. wide runs S.

79.00 Intersected the N & S. line at the post

This mile level 2nd rate, Beech, Oak, Ash, ElmEast On Rand^m. between Sec. 23 & 26

37.00 a watercourse 10 lks. wide runs S.

40.00 Set temp. g. Sec. post

55.00 a watercourse 10 lks. wide runs S.

79.75 Intersected the N & S. line 15 lks. S. of post
 Level 3rd rate, timber Beech, Oak, Elm & Ash

East On Rand^m. between Sec. 24 & 25

40.00 Set temp. g. Sec. post

79.76 Intersected the N & S. line 70 lks. N. of the post
 Land level 3rd rate, timber Beech, Oak, Elm &c.

West Corrected between Sec. 24 & 25

39.88 Set g. Sec. post at average dist. from which
 a W. Oak 60 in. diam. bear N 16° E 10 lks. dist. of

425

S. K. R. E. 2nd Mer. Indiana

ch². lks

a Beech 4 in. diam. beam South 20 lks, dist
79.76 to Sec. Corner.

North Between Sec. 23 & 24

40.00 Set q. Sec. post, from which

a Beech 18 in. diam. beam N 66 E 48 lks, dist. of

a No. 36 " " " S 80 W 29 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which

a Gum 12 in. diam. beam N 47 W 13 lks, dist. of

a No. 12 " " " South 12 " "

Sand level 3rd rate, timber Beech, Oak &c.

East On Rand^m. between Sec. 13 & 24

40.00 Set temp. q. Sec. post

79.50 Intersected E. boundary of Town 14 lks. S. of post

Sand timber &c. same as on the last mile

West Corrected between Sec. 13 & 24

14.11 a Beech 18 in. diam. in the line

39.75 Set q. Sec. post at average dist. from which

a Gum 12 in. diam. beam S 30 W 5 lks, dist. of

a No. 10 " " " N 40 E 22 " "

79.50 to Sec. Corner.

North Between Sec. 13 & 14

40.00 Set q. Sec. post, from which

a Beech 14 in. diam. beam East 10 lks, dist. of

a No. 8 " " " N 87 W 9 " "

45.00 a watercourse 8 lks, wide run, S. E.

67.00 a No. 8 " " " S. W.

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which

a Beech 22 in. diam. beam N 32 W 22 lks, dist. of

a No. 16 " " " S 29 E 30 " "

This mile level land, timber Beech, Oak, Gum
and Poplar

426.

T8 N R12 E. 2nd Mer. Indiana

ch. lks.

West Corrected between Sec. 23 of 26

39.87 Set q. Sec. post at average dist. from which
a Beech 8 in. diam. Stand for q. Sec. Corner

79.75 to Sec. Corner

North Between Sec. 22 of 23

5.00 a watercourse 10 lks. wide 100 lks. to our left

40.00 Set q. Sec. post, from which
a Beech 15 in. diam. bear West 26 lks. dist. of
a Do. 4 " " " N 6 E 7 " "80.00 Set post Cor. to Sec. 14, 15, 22 of 23, from which
a Beech 10 in. diam. bear N 82 W 18 lks. dist. of
a Do. 18 " " " N 76 E 23 " "Land level 2nd rate, Beech, W. Oak, Gum &c.

East On Rand. between Sec. 14 of 23

40.00 Set temp. q. Sec. post

79.50 Intersected the N of S. line 14 lks. N. of the post
Land timber &c. same as on the last mile

West Corrected between Sec. 14 of 23

39.75 Set q. Sec. post at average dist. from which
a Hickory 24 in. diam. bear N 10 W 50 lks. dist.
no other bearing.

79.50 to Section Corner.

North Between Sec. 14 of 15

40.00 Set q. Sec. post, from which
a Beech 12 in. diam. bear East 15 lks. dist
a Do. 14 " " " N 69 W 16 " "

78.50 a stream 12 lks. wide Course N.W.

80.00 Set post Cor. to Sec. 10, 11, 14 of 15, from which
a Beech 18 in. diam. bear N 60 W 12 lks. dist. of
a Do. 6 " " " N 11 E 12 " "This mile level 2nd rate, Beech, Oak, Poplar.

T. 8 N. R. 12 E. 2^d Mer. Indiana

427

Ch. lks.

West Corrected between Sec. 22 & 27

39.50 Set q. Sec. post at average dist. from which
a Beech 18 in. diam. bear; S 10 E 19 lks. dist. of
a W. Ash 16 " " " North 22 " "

79.00 to Sec. Corner.

North Between Sec. 21 & 22

21.00 a Gum 36 in. diam. in the line

40.00 Set q. Sec. post, from which
a Beech 10 in. diam. bear; N 27 E 16 lks. dist. of
a Do. 4 " " " S 39 W 7 " "

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 16 in. diam. bear; S 31 E 28 lks. dist. of
a Do. 10 " " " N 41 W 23 " "

Sand level 3^d rate, timber Beech, Oak, Poplar &c.

East On Rand. between Sec. 15 & 22

40.00 Set temp. q. Sec. post

79.50 intersected the S. of S. line 74 lks. S. of post
Sand level 3^d rate, timber Beech, Oak &c.

West Corrected between Sec. 15 & 22

39.75 Set q. Sec. post at average dist. from which
a Beech 12 in. diam. bear; N 55 W 9 lks. dist. of
a Do. 4 " " " S 60 E 9 " "

79.50 to Sec. Corner.

North Between Sec. 15 & 16

16.00 a watercourse 6 lks. wide run S. W.

40.00 Set q. Sec. post from which
a Beech 16 in. diam. bear; N 9 W 5 lks. dist. of
a Do. 10 " " " S 25 E 14 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 14 in. diam. bear; S 33 E 14 lks. dist. of
a Maple 8 " " " N 87 W 16 " "

Sand timber &c. same as on the last mile

T8 N R12 E. 2nd Mer. IndianaCh^l. lksWest Corrected between Sec^s. 21 & 2840.00 Set q^r. Sec. post at average dist. from which
a Beech 5 in. diam. bears East 10 lks. dist. of
a No. 3 " " " South 15 " "

80.00 to Sec. Corner

North Between Sec^s. 20 & 2140.00 Set q^r. Sec. post, from which
a Beech 5 in. diam. bears S 28 E 12 lks. dist. of
a No. 4 " " " N 21 W 7 " "

55.00 a stream 12 lks. wide runs S.W.

74.00 a Creek 10 lks. " " East

80.00 Set post Cor. to Sec^s. 16, 17, 20 & 21, from which
a Beech 8 in. diam. bears N 78 E 8 lks. dist. of
a No. 6 " " " S 78 W 12 " "
Land broken, timber Beech &c.East On Land^s. between Sec^s. 16 & 2140.00 Set temp^y. q^r. Sec. post80.00 Intersected the N of S line 8 lks. N. of post
Land Broken 3rd rate, timber Beech, Oak & PoplarWest Corrected between Sec^s. 16 & 2140.00 Set q^r. Sec. post at average dist. from which
a Poplar 6 in. diam. bears N 45 E 7 lks. dist. of
a Dogwood 4 " " " S 45 W 7 " "

55.00 a watercourse 10 lks. wide comes S.W.

80.00 to Sec. Corner.

North Between Sec^s. 16 & 1740.00 a Beech 6 in. diam. stands for q^r. Sec. Corner.

66.00 a stream 25 lks. wide runs W.

80.00 Set post Cor. to Sec^s. 8, 9, 16 & 17, from which
a Sugar 8 in. diam. bears S 25 E 10 lks. dist. of
a Beech 5 " " " N 25 W 13 " "
Very Broken 3rd rate land, Beech, Poplar, Gum &c.

S. N. R. 12 E. 2.nd Mer. Indianach². lks.

West Corrected between Sec. 20 & 29

5.00 a Stream 15 lks. wide runs N.W.

40.00 Set g. Sec. post at average dist. from which
a Beech 4 in. diam. bears S 62 E 15 lks. dist. of
a Do. 4 " " " N 60 W 26 " "

80.00 to Section Corner.

North Between Sec. 19 & 20

40.00 Set g. Sec. post, from which
a Sugar 17 in. diam. bears N 68 E 14 lks. dist. of
a Do. 6 " " " N 68 W 7 " "

71.17 a Beech 14 " " in the line

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Dogw. 3 in. diam. bears S 44 W 11 lks. dist. of
a Beech 4 " " " S 26 E 15 " "
Land Broken, timber Beech, Oak &c.

East On Rand. between Sec. 17 & 20

40.00 Set temp. g. Sec. post

80.00 Intersected the N. & S. line 18 lks. N. of post
This mile broken 3rd rate Beech, Oak &c.

West Corrected between Sec. 17 & 20

13.00 a Stream 10 lks. wide runs N.W.

40.00 Set g. Sec. post at average dist. from which
a Beech 7 in. diam. bears N 70 W 12 lks. dist. of
a Sugar 6 " " " S 15 E 13 " "

49.00 a Stream 5 lks. wide runs N.

80.00 to Sec. Corner.

West Between Sec. 18 & 19

23.00 a Stream 10 lks. wide runs S.

40.00 Set g. Sec. post, from which
a Beech 5 in. diam. bears West 27 lks. dist. of
a Do. 6 " " " North 22 " "

66.50 Intersected the W. boundary 100 lks. N. of post.

S. N. R 12 E. 2^d Mer. Indianach. 1st 1/2.

Set post Cor. to Sec. 18 & 19, from which
 a Beech 7 in. diam. branch East 25 lks. dist. of
 a No. 3 " " " South 8 " "
 Land broken, timber Beech, Oak &c.

North Between Sec. 17 & 18

15.50 a stream 10 lks. wide runs N.

40.00 Set q. Sec. post, from which
 a Gum 7 in. diam. branch West 7 lks. dist. of
 a Beech 15 " " " South 10 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
 a Dogwood 3 in. diam. branch N 7 W 7 lks. dist. of
 a Beech 15 " " " N 7 E 10 " "

(Description of Land &c. Omitted)

West Between Sec. 7 & 18

3.00 a water course 8 lks. wide runs N.

40.00 Set q. Sec. post, from which
 a Beech 14 in. diam. branch N 50 E 12 lks. dist.
 on the side of a precipice or steep hollow

67.21 Intersected N. boundary — lks. — of post
 a Poplar 36 in. diam. stands for the corner
 to Sec. 7 & 18 — This mile hilly, Beech & Poplar

East On Rand^m. between Sec. 8 & 17

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line at the post
 Broken 3^d rate, Beech, Oak, Poplar, Soil good

East On Rand^m. between Sec. 9 & 16

40.00 Set temp. q. Sec. post

79.80 Intersected the N. & S. line 11 lks. S. of post
 Land Broken 3^d rate, Beech, Oak, Poplar
 Gum & some Sugar.

East On Rand^m. between Sec. 10 & 15

T8 N. R12 E. 2nd Me. Indiana

431

ch 2nd 1/2

40.00 Set temp. g. Sec. post
79.50 Intersected the N & S. line 30 lbs. S. of the post
Land level, timber Beech, Oak &c

East On Rand^m. between Sec. 11 & 14

40.00 Set temp. g. Sec. post
78.75 Intersected the N. & S. line at the post
Land level 3rd rate, Beech, Oak, Poplar &c.

East On Rand^m. between Sec. 12 & 13

40.00 Set temp. g. Sec. post
80.00 Intersected the E. boundary 20 lbs. N. of post
This mile level 3rd rate, Beech, Maple, Gum &c.

West Corrected between Sec. 12 & 13

40.00 Set g. Sec. post at average dist. from which
an Elm 12 in. diam. bear West 25 lbs. dist. of
a Maple 12 " " " N 50-18 " "
64.71 at Beech 16 " " in the line
80.00 to Sec. Corner.

North Between Sec. 11 & 12

40.00 Set g. Sec. post, from which
at Beech 12 in. diam. bear N 30 E 7 lbs. dist. of
a do. 6 " " " West 25 " "
71.00 a watercourse 6 lbs. wide runs S.W.
80.00 Set post Cor. to Sec. 1, 2, 11 & 12 from which
a Gum 14 in. diam. bear S 15 E 15 lbs. dist. of
a do. 14 " " " North 9 " "
Land similar, timber Beech, Oak &c.

East On Rand^m. between Sec. 1 & 12

40.00 Set temp. g. Sec. post
80.00 Intersected the E. boundary at the post.
Land level timber Oak, Beech, Poplar, Gum &c.

T8 N R12 E. 2.nd Mer. Indiana

ch. 1/2

West

Corrected between Sec. 1 & 12

40.00 Set q. sec. post at average dist. from which
a Beech 10 in. diam. bear N 48 E 11 ch. dist. of
a Maple 12 " " " S 40 E 12 " "

80.00 to the Section Corner.

North Between Sec. 1 & 2

5.00 a watercourse 6 ch. wide run S. W.

40.00 a Hickory 18 in. diam. stand for q. sec. Corner

66.29 a Beech 18 in. diam. in the line

80.00 intersected the N. boundary 25 ch. E. of post
Set post Cor. to Sec. 1 & 2, from which
a Beech 8 in. diam. bear N 40 W 9 ch. dist. of
a Do. 8 " " " S 11 E 6 " "
Land level 2nd rate Beech, Oak &c.

West Corrected between Sec. 11 & 14

39.37 Set q. sec. post at average dist. from which
a Beech 12 in. diam. bear N 78 W 11 ch. dist. of
a Do. 36 " " " S 27 E 36 " "

41.23 a Beech 24 " " in the line

78.75 to Section Corner.

North Between Sec. 10 & 11

40.00 Set q. sec. post, from which
a Beech 10 in. diam. bear N 80 E 36 ch. dist. of
a Sugar 14 " " " S 74 W 26

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Sugar 14 in. diam. bear N 16 E 35 ch. dist. of
a Beech 16 " " " S 20 W " "

Land timber &c. same as on the last mile

East On Rand. between Sec. 2 & 11

40.00 Set temp. q. sec. post

79.00 intersected the N & S. line 20 ch. S. of post
(description of land timber &c. Omitted)

T8N R12E. 2nd Mer. Indianach^d. lks.

West Corrected between Sec. 2 of 11

4.00 a watercourse 8 lks, wide runs S.W.

39.50 Set q^r. Sec. post at average dist. from which
a W. Oak 36 in. diam. bears N 61 W 11 lks. dist. &
a Do. 40 " " " S 72 E 24 " "

79.00 to Sec. Corner.

North Between Sec. 2 of 3, T8N. R12E.

10.00 a Stream 12 lks, wide runs N 25 W

40.00 Set q^r. Sec. post, from which
a Poplar 16 in. diam. bears S 30 W 19 lks. dist.
no other bearing trees.

72.00 a Stream 40 lks, wide runs S.W.

79.75 Intersected N. boundary 350 lks. E. of the post.
Set post Cor. to Sec. 2 of 3, from which
a Beech 12 in. diam. bears S 30 W 9 lks. dist. &
a Gum 16 " " " N 20 W 9 " "
Land Broken, timber Beech, Oak & Gum.

West Corrected between Sec. 10 of 15

say - 40.00 Set q^r. Sec. post at average dist. from which
39.75 a B. Oak 10 in. diam. bears S 50 W 15 lks. dist. &
a Beech 6 " " " N 55 E 9 " "

57.25 a watercourse 8 lks, wide runs S. E.

79.50 to Sec. Corner

North Between Sec. 9 of 10, T8N. R12E.

27.00 a small stream runs S.W.

40.00 Set q^r. Sec. post, from which
a Beech 12 in. diam. bears South 25 lks. dist. &
a Do. 8 " " " N 78 E 23 " "80.00 Set post Corner to Sec. 3, 4, 9 of 10 Bearing trees
Omitted * This mile level 3rd rate land, timber
Beech, W. Oak & Poplar, much briars.East On Land^{own} between Sec. 3 of 10* for the bearing trees at this corner, see corrected line betⁿ. 3 & 10

T8 N R12 E. 2nd Mer. Indiana

ch. lks.

40.00 Set temp. q. sec. post

80.00 Intersected the N. & S. line 50 lks. S. of post
This mile level 3rd rate land, Beech & W. Oak, much, Green being

West Corrected between Sec. 3 & 10

40.00 Set q. sec. post, from which
a Gum 12 in. diam. bear N 81 E 24 lks. dist. of
a B. Oak 60 " " " N 68 E 33 " "80.00 Set the post Cor. to Sec. 3, 4, 9 & 10, from which
a W. Oak 28 in. diam. bear N 40 E 22 lks. dist. of
a Beech 6 " " " N 68 W 12 " "
The bearing trees were omitted when (we run the)
N & S. line between 9 & 10, by a storm.

North Between Sec. 3 & 4

40.00 Set q. sec. post, from which
a Beech 8 in. diam. bear S 10 E 27 lks. dist. of
a Gum 12 " " " N 45 W 14 " "78.00 Intersected the N. boundary — lks. — of post set post
Corner to sections 3 & 4, from which
a The bearing trees at this corner omitted
This mile broken 3rd rate, timber Oak, Beech &c.

West Corrected between Sec. 9 & 16

40.00 a Red Bud 7 in. diam. stands for. q. sec. Corner, at
average dist. on true line

74.00 a Water Course 25 lks. wide runs W.

80.00 to Sec. Corner.

North Between Sec. 8 & 9, T8 N. R12 E.

40.00 Set q. sec. post, from which
a Poplar 30 in. diam. bear North 10 lks. dist. of
a Beech 8 " " " South 15 " "

72.11 a Gum 12 " " in the line

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 8 in. diam. bear N 29 W 12 lks. dist. of

T8 N. R12 E. 2nd Mer. IndianaCh^l. 1/2.

a Beech 9 in. diam. beam S35W18 lks. dist. of
 This mile broken 3rd rate, timber Beech, Oak, Gum &
 Poplar, Good Soil.

East On Rand^m. between Sec. 4 & 940.00 Set temp^y. g. Sec. post

79.75 Intersected the N of S. line 110 lks. S. of the post
 Land timber &c. Same as on the last mile

West Corrected between Sec. 4 & 9

39.87 1/2 Set g. Sec. post at average dist. from which
 a Beech 6 in. diam. beam S15E20 lks. dist. of
 a Do. 7 " " " N25W17 " "

79.75 to Sec. Corner.

West Corrected between Sec. 8 & 17, T8 N. R12 E.

40.00 Set g. Sec. post at average dist. from which
 a Beech 7 in. diam. beam East 10 lks. dist. of
 a Do. 6 " " " West 17 " "

63.50 a stream 40 lks. wide runs N.W.

80.00 to the Section Corner.

North Between Sec. 7 & 8, T8 N. R12 E.

5.00 a stream 50 lks. wide runs W.

40.00 Set g. Sec. post, from which
 a Beech 8 in. diam. beam N75E10 lks. dist. of
 a W. Oak 24 " " " S40W22 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 8 in. diam. beam South 8 lks. dist. of
 a Sugar 7 " " " North 8 " "

This mile broken, timber Beech, Oak, Poplar &c.

East On Rand^m. between Sec. 5 & 840.00 Set temp^y. g. Sec. post

79.90 Intersected the N of S. line 19 lks. S. of post
 Land timber &c. Same as on the last mile

T8 N. R12 E. 2^d Mer. Indiana

ch. lks.

West Corrected between Sec. 5 & 8, T8 N. R12 E.
 32.00 a stream 10 lks. wide runs SW.
 39.95 Set q. Sec. post at average dist. from which
 a Sugar 9 in. diam. beam South 5 lks. dist. of
 a Hickory 18 " " " North 10 " "
 47.00 a Beech 18 " " in the line
 79.90 to Sec. Corner.

North Between Sec. 4 & 5, T8 N. R12 E.

40.00 Set q. Sec. post, from which
 a Beech 10 in. diam. beam N12 E 19 lks. dist. of
 a do. 24 " " " West 14 " "
 77.25 Intersected the N. boundary 6 lks. E. of post,
 no post set as it is so near the other post
 This mile broken land, timber Beech, Poplar &c.

West Between Sec. 6 & 7, T8 N. R12 E

40.00 Set q. Sec. post, from which
 a Beech 3 in. diam. beam N84 W 18 lks. dist. of
 a do. 18 " " " S70 E 20 " "
 44.00 a watercourse 10 lks. wide runs S.
 65.00 Intersected the W. boundary at the post
 Land level 2^d rate, timber Beech, Poplar and
 Ironwood

North Between Sec. 5 & 6, T8 N. R12 E.

40.00 Set q. Sec. post, from which
 a Beech 14 in. diam. beam South 12 lks. dist. of
 a do. 18 " " " North 22 " "
 78.00 Intersected the N. boundary—lks. E. of post
 Set a post Cor. to Sec. 5 & 6, from which
 a Beech 8 in. diam. beam N17 W 23 lks. dist. of
 a do. 6 " " " S30 E 10 " "
 This mile broken 3^d rate, timber Beech, Poplar &c.
 January 1807

Stephen Ludlow, d. Surveyor

I Certify that the foregoing transcript of field notes
of Township No. 8 North, of Range 12 East of the 2.^d
Principal Mer. Indiana, has been compared with the
original notes in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, March 4. 1845 } William Johnston
Sur. Genl.